

BIAR RNP SID RWY 19
Recommended Coding Tables

ASKUR 1C

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CF	AR441	-	187 (175.5)	+12.0	2.7			-175	RNP 1 (GNSS)
020	TF	AR442	-	212 (200.3)	+12.0	6.5	R	A3200+		RNP 1 (GNSS)
030	TF	AR443	-	216 (203.7)	+12.0	4.6		A4500+		RNP 1 (GNSS)
040	TF	GILTU	-	216 (203.7)	+12.0	8.2		A6000+		RNP 1 (GNSS)
050	TF	ASKUR	-	244 (232.1)	+12.0	10.8	R			RNP 1 (GNSS)

ASKUR 1D

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M (°T)	MAG VAR	DIST (NM)	Turn Dir	ALT (FT)	Speed (KT)	ARC Centre Radius (NM)	Navigation Specification
010	CF	AR431	-	187 (175.5)	+12.0	1.7					RNP 1 (GNSS)
020	RF	AR432	-		+12.0	1.5	R		K205-	AR439 (3.564)	RNP 1 (GNSS)
030	TF	AR433	-	211 (199.1)	+12.0	7.1		A5000+	K230-		RNP 1 (GNSS)
040	TF	AR435	-	230 (217.6)	+12.0	10.0		A7000+			RNP 1 (GNSS)
050	TF	ASKUR	-	229 (217.4)	+12.0	11.8					RNP 1 (GNSS)

JARRI 1C

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CF	AR441	-	187 (175.5)	+12.0	2.7			-175	RNP 1 (GNSS)
020	TF	AR442	-	212 (200.3)	+12.0	6.5	R	A3200+		RNP 1 (GNSS)
030	TF	AR443	-	216 (203.7)	+12.0	4.6		A4500+		RNP 1 (GNSS)
040	TF	GILTU	-	216 (203.7)	+12.0	8.2		A6000+		RNP 1 (GNSS)
050	TF	JARRI	-	135 (123.2)	+12.0	11.0	L			RNP 1 (GNSS)

JARRI 1D

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M (°T)	MAG VAR	DIST (NM)	Turn Dir	ALT (FT)	Speed (KT)	ARC Centre Radius (NM)	Navigation Specification
010	CF	AR431	-	187 (175.5)	+12.0	1.7					RNP 1 (GNSS)
020	RF	AR432	-		+12.0	1.5	R		K205-	AR439 (3.564)	RNP 1 (GNSS)
030	TF	AR433	-	211 (199.1)	+12.0	7.1		A5000+	K230-		RNP 1 (GNSS)
040	TF	AR436	-	177 (165.3)	+12.0	10.0		A7000+			RNP 1 (GNSS)
050	TF	JARRI	-	177 (165.3)	+12.0	7.3					RNP 1 (GNSS)

PERUR 1D

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M (°T)	MAG VAR	DIST (NM)	Turn Dir	ALT (FT)	Speed (KT)	ARC Centre Radius (NM)	Navigation Specification
010	CF	AR431	-	187 (175.5)	+12.0	1.7					RNP 1 (GNSS)
020	RF	AR432	-		+12.0	1.5	R		K205-	AR439 (3.564)	RNP 1 (GNSS)
030	TF	AR433	-	211 (199.1)	+12.0	7.1		A5000+	K230-		RNP 1 (GNSS)
040	TF	AR434	-	275 (263.0)	+12.0	7.0	R	A7000+			RNP 1 (GNSS)
050	TF	PERUR	-	275 (262.7)	+12.0	13.1					RNP 1 (GNSS)

RETUR 1D

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course °M (°T)	MAG VAR	DIST (NM)	Turn Dir	ALT (FT)	Speed (KT)	ARC Centre Radius (NM)	Navigation Specification
010	CF	AR431	-	187 (175.5)	+12.0	1.7					RNP 1 (GNSS)
020	RF	AR432	-		+12.0	1.5	R			AR439 (3.564)	RNP 1 (GNSS)
030	TF	AR433	-	211 (199.1)	+12.0	7.1		A5000+	K180-		RNP 1 (GNSS)
040	TF	AR437	-	123 (110.6)	+12.0	6.5	L	A6000+	K200-		RNP 1 (GNSS)
050	TF	RETUR	-	065 (052.7)	+15.4	9.3	L	A7000+			RNP 1 (GNSS)